

S216	269	encrypt\$3 with S215	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:52
S217	2	encrypt\$3 with S215 with CCM	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:52
S218	1	encrypt\$3 with S215 with aes	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:53
S219	386	authentication with aes	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:53
S220	2161	advanced near encryption near standard	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:54
S221	213	S220 and S219	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:54
S222	1	authenticated near2 encryption near process	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:58
S223	1	"6963976".pn.	US-PGPUB; USPAT	OR	OFF	2008/04/09 16:58
S224	8	(message near authentication near code). ti.	US-PGPUB; USPAT	OR	OFF	2008/04/09 17:22
S225	1	"4339724".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/30 13:39
S226	3	("4339724" "4567602" "4644565").pn.	US-PGPUB; USPAT	OR	OFF	2009/01/30 13:40
S227	155605	(SN or (sequence adj (number\$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2009/02/02 14:50
S228	18972	(fn or (fragment adj (number\$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2009/02/02 14:51
S229	70575	(pn or (packet adj (number \$1 or value\$1)))	US-PGPUB; USPAT	OR	OFF	2009/02/02 14:51
S231	515	S227 and S228 and S229	US-PGPUB; USPAT	OR	OFF	2009/02/02 15:00
S232	16	S231 and ccm\$1	US-PGPUB; USPAT	OR	OFF	2009/02/02 15:25
S233	1078	cipher adj block adj chain \$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 16:50
S234	6123	message adj authentication	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 16:51
S235	499	S233 and S234	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 16:51
S236	53078	("713" or "380").clas.	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 16:56
S237	343	S236 and S235	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 16:56

S238	4759	packet adj number\$1	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 19:04
S239	720	S238 with sequen\$4	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 19:05
S240	10606	packet\$1 with encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 19:05
S241	118	S239 and S240	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 19:05
S242	1874	(valid\$5 or verif\$7 or check \$3 or inspect\$3 or monitor \$3) with ((packet or fragment) near2 sequenc \$3)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 19:20
S243	272	S242 and encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 19:21
S244	95	(valid\$5 or verif\$7 or check \$3 or inspect\$3 or monitor \$3) with (packet or fragment) with ((proper or complete) near sequenc\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 21:40
S245	3	S244 and encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 21:40
S246	2593	(valid\$5 or verif\$7 or check \$3 or inspect\$3 or monitor \$3) with ((proper or complete) near (sequenc\$3 or order))	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 21:42
S247	315	S246 and encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 21:42
S249	1	S246 and S238 and encrypt \$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 21:42
S250	148	S246 and (cell or packet or fragment) and encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 21:43
S251	1599	(valid\$5 or verif\$7 or check \$3 or inspect\$3 or monitor \$3) with ((proper or complete) adj (sequenc\$3 or order))	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 21:50
S252	1	S251 and S238 and encrypt \$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 21:51

S253	185	S251 and encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 21:51
S254	1056	(valid\$5 or verif\$7 or check \$3 or inspect\$3 or monitor \$3) with ((proper or complete) adj (sequenc \$3))	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 22:06
S255	93	S254 and encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/02 22:07
S256	212	380/274.ccls. 380/274.fs.	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:13
S257	406	380/261,262.ccls. 380/261,262.fs.	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:14
S258	578	S257 or S256	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:14
S259	8	S258 and (complete near2 sequenc\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:15
S260	6	(discard\$3 or reject\$3) with ((complete) adj (sequenc\$3))	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:17
S261	534	(valid\$5 or verif\$7 or check \$3 or inspect\$3 or monitor \$3) with ((complete) near2 packet\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:21
S262	143	S261 and encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:21
S263	378	(valid\$5 or verif\$7 or check \$3 or inspect\$3 or monitor \$3) with ((incomplete or missing) near2 packet\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:23
S264	86	S263 and encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:23
S265	883	(packet adj number) and encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:27
S266	2449	(incomplete or missing) near packet\$1	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:28
S267	71	S265 and S266	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:28

S268	42	(packet adj number) with S266	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:44
S269	16	S268 and encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 12:44
S270	146	(reject\$3 or discard\$3) with S266	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 13:06
S271	4765	(packet adj number\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 13:06
S272	16	S270 and S271	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 13:06
S273	10	(reject\$3 or discard\$3) with S266 with message	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 13:12
S274	1250	(incomplete or missing) near cell\$1	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 13:24
S275	1	(reject\$3 or discard\$3) with S274 with message	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 13:24
S276	4587	(incomplete or missing) near (packet\$1 or fragment \$1 or cell\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 13:25
S277	11	(reject\$3 or discard\$3) with S276 with message	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 13:26
S278	0	(reject\$3 or discard\$3) with S276 with security	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 13:28
S279	167	(reject\$3 or discard\$3) with S276	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 13:29
S280	340	(reject\$3 or discard\$3) with message with security	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 14:24
S281	0	S276 same S280	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 14:24
S282	75	(reject\$3 or discard\$3) with message with susp\$5	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 14:25
S283	0	S276 same S282	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 14:25

S285	48	(reject\$3 or discard\$3) with message with incomplete\$4	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 14:26
S286	7307	(incomplete or missing) near2 (packet\$1 or fragment\$1 or cell\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 14:27
S287	1	S285 and S286	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 14:27
S288	120	(reject\$3 or discard\$3) with message with (incomplete or missing)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 14:36
S289	4	S288 and S271	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 14:36
S290	890	(reject\$3 or discard\$3) with message with (incomplete or missing or complete or sequenc\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 14:37
S291	28	S290 and S271	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/03 14:37
S292	4765	(packet adj number\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:12
S293	119058	encrypt\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:13
S294	19749	(reject\$3 or discard\$3) with message\$1	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:13
S295	461976	spectrum	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:13
S296	26	S292 and S293 and S294 and S295	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:13
S297	73	(packet adj number\$1) with key\$1	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:16
S298	2	S297 and S293 and S294	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:16
S299	496905	(reject\$3 or discard\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:17
S300	11	S293 and S297 and S299	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:17

S301	935	S292 and S293	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:18
S302	479	S292 and S293 and S299	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:19
S303	436	S292 and S293 and S299 and sequen\$4	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:19
S304	172723	(miss\$3 or complet\$3 or gap\$1 or incomplete) with sequen\$4	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:20
S305	83	S292 and S293 and S299 and S304	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 17:20
S306	33749	(miss\$3 or complet\$3 or gap\$1 or incomplete) with packet\$1	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 19:30
S307	13091	S299 and S306	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 19:30
S308	3192	S299 and S306 and S293	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 19:30
S309	372	S299 and S306 and S293 and (S292 or pn)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 19:31
S310	142	S299 and S306 and S293 and (S292 or pn) and S295	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 19:31
S311	58	S299 and S306 and S293 and (S292) and S295	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 19:53
S312	2943	(miss\$3 or complet\$3 or gap\$1 or incomplete) with packet\$1 with sequenc\$3	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 19:58
S313	354	S312 and S292	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 19:58
S314	66	S312 and S292 and S293	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 19:58
S315	31	S292 and (replay adj attack \$1)	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 20:56
S316	20	S292 and (replay adj attack \$1) and sequen\$4	US-PGPUB; USPAT; EPO	OR	OFF	2009/02/04 20:56
S317	1658	713/160-162,181.ccls. or 713/160-162,181.fs.	US-PGPUB; USPAT	OR	OFF	2009/02/16 20:47

S318	1357	380/270.ccls. or 380/270. fs.	US-PGPUB; USPAT	OR	OFF	2009/02/16 20:48
S319	2967	S317 or S318	US-PGPUB; USPAT	OR	OFF	2009/02/16 20:48
S320	48397	(message or data) near (digest or integrity or authenticat\$3)	US-PGPUB; USPAT	OR	OFF	2009/02/16 20:48
S321	1106	S319 and S320	US-PGPUB; USPAT	OR	OFF	2009/02/16 20:49
S322	46175	(fragment or packet or sequence) adj number\$1	US-PGPUB; USPAT	OR	OFF	2009/02/16 20:49
S323	192	S319 and S320 and S322	US-PGPUB; USPAT	OR	OFF	2009/02/16 20:49
S324	6820	S320.clm.	US-PGPUB; USPAT	OR	OFF	2009/02/16 20:49
S325	7344	S322.clm.	US-PGPUB; USPAT	OR	OFF	2009/02/16 20:49
S326	164	S324 and S325	US-PGPUB; USPAT	OR	OFF	2009/02/16 20:50
S327	51	S324 with S325	US-PGPUB; USPAT	OR	OFF	2009/02/16 20:50

2/ 16/ 2009 8:51:00 PM

C:\Documents and Settings\msanjuan\My Documents\ EAST\ Workspaces\ 10718889.wsp